



REFERENCES BIBLIOGRAPHIQUES (Cours présentiel)

Liste des articles consultés

1. Agledahl, K. M., Gulbrandsen, P., Førde, R., & Wifstad, Å. (2011). *Courteous but not curious: how doctors' politeness masks their existential neglect. A qualitative study of video-recorded patient consultations. Journal of Medical Ethics, 37(11), 650-654.*
2. Amalberti R. (2013). *La méthode Teach-back, pour mieux se faire comprendre des patients. Concours Méd;135(7):1-3.*
3. Babatunde, F., MacDermid, J., & MacIntyre, N. (2017). *Characteristics of therapeutic alliance in musculoskeletal physiotherapy and occupational therapy practice: a scoping review of the literature. BMC health services research, 17(1), 375.*
4. Baker, S. K. (1998). *Keys to a positive first impression. Family Practice Management, 5(1), 51.*
5. Barry, C. A., Bradley, C. P., Britten, N., Stevenson, F. A., & Barber, N. (2000). *Patients' unvoiced agendas in general practice consultations: qualitative study. Bmj, 320(7244), 1246-1250.*
6. Beavan, V., Read, J., & Cartwright, C. (2011). *The prevalence of voice-hearers in the general population: a literature review. Journal of Mental Health, 20(3), 281-292.*
7. Becker, M. H. (1974). *The health belief model and sick role behavior. Health education monographs, 2(4), 409-419.*
8. Becker, M. H., & Maiman, L. A. (1975). *Sociobehavioral determinants of compliance with health and medical care recommendations. Medical care, 10-24.*
9. Beckman, H. B., & Frankel, R. M. (1984). *The effect of physician behavior on the collection of data. Annals of Internal medicine, 101(5), 692-696.*
10. Bem, D. J. (1972). *Self-perception theory. In Advances in experimental social psychology (Vol. 6, pp. 1-62). Academic Press.*
11. Bensing, J. (2000). *Bridging the gap.: The separate worlds of evidence-based medicine and patient-centered medicine. Patient education and counseling, 39(1), 17-25.*
12. Berthelot, J. M., Nizard, J., & Maugars, Y. (2019). *Effets Hawthorne négatifs: quels motifs aux surexpressions de la douleur?. Revue du Rhumatisme, 86(2), 134-138.*
13. Betbeze, J. (2014). *Thérapie narrative: une conversation en échafaudage. European Psychiatry, 29(8), 675-676.*
14. Boquiren, V. M., Hack, T. F., Beaver, K., & Williamson, S. (2015). *What do measures of patient satisfaction with the doctor tell us?. Patient education and counseling, 98(12), 1465-1473.*



15. Bombeke, K., Van Roosbroeck, S., De Winter, B., Debaene, L., Schol, S., Van Hal, G., & Van Royen, P. (2011). Medical students trained in communication skills show a decline in patient-centred attitudes: an observational study comparing two cohorts during clinical clerkships. *Patient Education and Counseling*, 84(3), 310-318.
16. Bordin, E. S. (1979). The generalizability of the psychoanalytic concept of the working alliance. *Psychotherapy: Theory, research & practice*, 16(3), 252.
17. Burack, R. C., & Carpenter, R. R. (1983). The predictive value of the presenting complaint. *The Journal of family practice*.
18. Bronshtein O, Katz V, Freud T and Peleg R (2006) Techniques for terminating patient–physician encounters in primary care settings. *Isr Med Assoc J*. 8(4): 266–9.
19. Champion, P., Foulkes, J., Neighbour, R., & Tate, P. (2002). Patient centredness in the MRCGP video examination: analysis of large cohort. *Bmj*, 325(7366), 691-692.
20. Cheng, Y., Lin, C. P., Liu, H. L., Hsu, Y. Y., Lim, K. E., Hung, D., & Decety, J. (2007). Expertise modulates the perception of pain in others. *Current Biology*, 17(19), 1708-1713.
21. Chester, E. C., Robinson, N. C., & Roberts, L. C. (2014). Opening clinical encounters in an adult musculoskeletal setting. *Manual therapy*, 19(4), 306-310.
22. Coudeyre, E., Rannou, F., Tubach, F., Baron, G., Coriat, F., Brin, S., ... & Poiraudreau, S. (2006). General practitioners' fear-avoidance beliefs influence their management of patients with low back pain. *Pain*, 124(3), 330-337.
23. Czerniak, E., Biegon, A., Ziv, A., Karnieli-Miller, O., Weiser, M., Alon, U., & Citron, A. (2016). Manipulating the placebo response in experimental pain by altering doctor's performance style. *Frontiers in psychology*, 7, 874.
24. Darlow, B., Dowell, A., Baxter, G. D., Mathieson, F., Perry, M., & Dean, S. (2013). The enduring impact of what clinicians say to people with low back pain. *The Annals of Family Medicine*, 11(6), 527-534.
25. Daykin, A. R., & Richardson, B. (2004). Physiotherapists' pain beliefs and their influence on the management of patients with chronic low back pain. *Spine*, 29(7), 783-795.
26. Dehaene, S. (2013). Les quatre piliers de l'apprentissage, ou ce que nous disent les neurosciences. *Paris Innovation Review*, November, 7.
27. De Ruddere, L., Goubert, L., Prkachin, K. M., Stevens, M. A. L., Van Ryckeghem, D. M. L., & Crombez, G. (2011). When you dislike patients, pain is taken less seriously. *PAIN®*, 152(10), 2342-2347.
28. De Ruddere, L., Bosmans, M., Crombez, G., & Goubert, L. (2016). Patients are socially excluded when their pain has no medical explanation. *The Journal of Pain*, 17(9), 1028-1035.
29. Dinh, T. T. H., Bonner, A., Clark, R., Ramsbotham, J., & Hines, S. (2016). The effectiveness of the teach-back method on adherence and self-management in health education for people with chronic disease: a systematic review. *JBI database of systematic reviews and implementation reports*, 14(1), 210-247.
30. Dionne, F., Ngô, T. L., & Blais, M. C. (2013). Le modèle de la flexibilité psychologique: une approche nouvelle de la santé mentale. *Santé mentale au Québec*, 38(2), 111-130.
31. Dow, C. M., Roche, P. A., & Ziebland, S. (2012). Talk of frustration in the narratives of people with chronic pain. *Chronic illness*, 8(3), 176-191.



32. Elliott, A. M., McAteer, A., & Hannaford, P. C. (2011). *Revisiting the symptom iceberg in today's primary care: results from a UK population survey*. *BMC family practice*, 12(1), 16.
33. Elwyn, G., Edwards, A., & Kinnersley, P. (1999). *Shared decision-making in primary care: the neglected second half of the consultation*. *Br J Gen Pract*, 49(443), 477-482.
34. Elwyn, G., Frosch, D., Thomson, R., Joseph-Williams, N., Lloyd, A., Kinnersley, P., ... & Edwards, A. (2012). *Shared decision making: a model for clinical practice*. *Journal of general internal medicine*, 27(10), 1361-1367.
35. Ely, J. W., Levinson, W., Elder, N. C., Mainous III, A. G., & Vinson, D. C. (1995). *Perceived causes of family physicians' errors*. *Journal of Family Practice*, 40(4), 337-345.
36. Emanuel, E. J., & Emanuel, L. L. (1992). *Four models of the physician-patient relationship*. *Jama*, 267(16), 2221-2226.
37. Freedman, J. L., & Fraser, S. C. (1966). *Compliance without pressure: the foot-in-the-door technique*. *Journal of personality and social psychology*, 4(2), 195.
38. Gallois, P. (2013). *Surdiagnostic: une surmédicalisation à risque pour le patient et pour la société*. *Médecine*, 9(8), 340-342.
39. Gardner, T., Refshauge, K., Smith, L., McAuley, J., Hübscher, M., & Goodall, S. (2017). *Physiotherapists' beliefs and attitudes influence clinical practice in chronic low back pain: a systematic review of quantitative and qualitative studies*. *Journal of physiotherapy*, 63(3), 132-143.
40. Goleman, D. (2011). *Emotional mastery*. *Leadership Excellence*, 28(6), 12-13.
41. Grégoire, M., Coll, M. P., Tremblay, M., Prkachin, K. M., & Jackson, P. L. (2016). *Repeated exposure to others' pain reduces vicarious pain intensity estimation*. *European Journal of Pain*, 20(10), 1644-1652.
42. Grol, R., Wensing, M., Mainz, J., Ferreira, P., Hearnshaw, H., Hjortdahl, P., ... & Szécsényi, J. (1999). *Patients' priorities with respect to general practice care: an international comparison*. *Family practice*, 16(1), 4-11.
43. Gueguen, N., & Pascual, A. (2000). *Evocation of freedom and compliance: The 'but you are free of...' technique*. *Current research in social psychology*, 5(18), 264-270.
44. Hadjistavropoulos, H. D., Ross, M. A., & Von Baeyer, C. L. (1990). *Are physicians' ratings of pain affected by patients' physical attractiveness?*. *Social Science & Medicine*, 31(1), 69-72.
45. Hajek, P., Najberg, E., & Cushing, A. (2000). *Medical students' concerns about communicating with patients*. *Medical education*, 34(8), 656-658.
46. Hall, A. M., Ferreira, P. H., Maher, C. G., Latimer, J., & Ferreira, M. L. (2010). *The influence of the therapist-patient relationship on treatment outcome in physical rehabilitation: a systematic review*. *Physical therapy*, 90(8), 1099-1110.
47. Hannay, D. R. (1979). *The symptom iceberg: a study of community health*. Routledge.
48. Hanslik, T., & Flahault, A. (2016). *La surmédicalisation: quand trop de médecine nuit à la santé*. *La Revue de Médecine Interne*, 37(3), 201-205.
49. Harris, M. B. (1972). *The effects of performing one altruistic act on the likelihood of performing another*. *The Journal of Social Psychology*, 88(1).
50. Harris, A. H. (1973). *The Comparability Question: Potential Uses and Misuses of Data*.



51. Hayes, S. C., Brownstein, A. J., Zettle, R. D., Rosenfarb, I., & Korn, Z. (1986). Rule-governed behavior and sensitivity to changing consequences of responding. *Journal of the Experimental Analysis of behavior*, 45(3), 237-256.
52. Helman, C. G. (1981). Disease versus illness in general practice. *JR Coll Gen Pract*, 31(230), 548-552.
53. Heritage, J., Robinson, J. D., Elliott, M. N., Beckett, M., & Wilkes, M. (2007). Reducing patients' unmet concerns in primary care: the difference one word can make. *Journal of general internal medicine*, 22(10), 1429-1433.
54. Hojat, M., Vergare, M. J., Maxwell, K., Brainard, G., Herrine, S. K., Isenberg, G. A., ... & Gonnella, J. S. (2009). The devil is in the third year: a longitudinal study of erosion of empathy in medical school. *Academic Medicine*, 84(9), 1182-1191.
55. Honeyman, P. T., & Jacobs, E. A. (1996). Effects of culture on back pain in Australian aboriginals. *Spine*, 21(7), 841-843.
56. Hooper, N., Saunders, J., & McHugh, L. (2010). The derived generalization of thought suppression. *Learning & Behavior*, 38(2), 160-168.
57. Horvath, A. O., & Luborsky, L. (1993). The role of the therapeutic alliance in psychotherapy. *Journal of consulting and clinical psychology*, 61(4), 561.
58. Houts, P. S., Doak, C. C., Doak, L. G., & Loscalzo, M. J. (2006). The role of pictures in improving health communication: a review of research on attention, comprehension, recall, and adherence. *Patient education and counseling*, 61(2), 173-190.
59. Jackson, J. L., & Kroenke, K. (1999). Difficult patient encounters in the ambulatory clinic: clinical predictors and outcomes. *Archives of internal medicine*, 159(10), 1069-1075.
60. Kamper, S. J., Haanstra, T. M., Simmons, K., Kay, M., Ingram, T. G., Byrne, J., ... & Hall, A. M. (2018). What Do Patients with Chronic Spinal Pain Expect from Their Physiotherapist?. *Physiotherapy Canada*, 70(1), 36-41.
61. Keller, A., Litzelman, K., Wisk, L. E., Maddox, T., Cheng, E. R., Creswell, P. D., & Witt, W. P. (2012). Does the perception that stress affects health matter? The association with health and mortality. *Health Psychology*, 31(5), 677.
62. Kelley, J. M., Kraft-Todd, G., Schapira, L., Kossowsky, J., & Riess, H. (2014). The influence of the patient-clinician relationship on healthcare outcomes: a systematic review and meta-analysis of randomized controlled trials. *PloS one*, 9(4), e94207.
63. Kinney, M., Seider, J., Beaty, A. F., Coughlin, K., Dyal, M., & Clewley, D. (2018). The impact of therapeutic alliance in physical therapy for chronic musculoskeletal pain: A systematic review of the literature. *Physiotherapy theory and practice*, 1-13.
64. Koster, E. H., Rassin, E., Crombez, G., & Näring, G. W. (2003). The paradoxical effects of suppressing anxious thoughts during imminent threat. *Behaviour Research and Therapy*, 41(9), 1113-1120.
65. Lærum, E., Indahl, A., & Sture Skouen, J. (2006). What is the good back-consultation ? A combined qualitative and quantitative study of chronic low back pain patient's interaction with and perceptions of consultations with specialists. *Journal of rehabilitation medicine*, 38(4), 255-262.
66. Lang F, Floyd MR and Beine KL (2000) Clues to patients' explanations and concerns about their illnesses: a call for active listening. *Arch Fam Med*. 9(3): 222-7.



67. Lang F, Floyd MR, Beine KL and Buck P (2002) Sequenced questioning to elicit the patient's perspective on illness: effects on information disclosure, patient satisfaction and time expenditure. *Fam Med.* 34(5): 325–30.
68. Langewitz, W., Denz, M., Keller, A., Kiss, A., Rütimann, S., & Wössmer, B. (2002). Spontaneous talking time at start of consultation in outpatient clinic: cohort study. *Bmj*, 325(7366), 682-683.
69. Lécallier, D., & Michaud, P. (2004). L'entretien motivationnel. *Alcoologie et addictologie*, 26(2), 129-134.
70. Légaré, F., & Thompson-Leduc, P. (2014). Twelve myths about shared decision making. *Patient education and counseling*, 96(3), 281-286.
71. Leventhal, H., & Cameron, L. (1987). Behavioral theories and the problem of compliance. *Patient Education and Counseling*, 10(2), 117-138.
72. Levinson, W., Roter, D. L., Mullooly, J. P., Dull, V. T., & Frankel, R. M. (1997). Physician-patient communication: the relationship with malpractice claims among primary care physicians and surgeons. *Jama*, 277(7), 553-559.
73. Levinson, W., Gorawara-Bhat, R., & Lamb, J. (2000). A study of patient clues and physician responses in primary care and surgical settings. *Jama*, 284(8), 1021-1027.
74. Levy, A. G., Scherer, A. M., Zikmund-Fisher, B. J., Larkin, K., Barnes, G. D., & Fagerlin, A. (2018). Prevalence of and factors associated with patient nondisclosure of medically relevant information to clinicians. *JAMA network open*, 1(7), e185293-e185293.
75. Lezzoni, L. I., Rao, S. R., DesRoches, C. M., Vogeli, C., & Campbell, E. G. (2012). Survey shows that at least some physicians are not always open or honest with patients. *Health Affairs*, 31(2), 383-391.
76. Lill, M. M., & Wilkinson, T. J. (2005). Judging a book by its cover: descriptive survey of patients' preferences for doctors' appearance and mode of address. *Bmj*, 331(7531), 1524-1527.
77. Lin, I. B., O'Sullivan, P. B., Coffin, J. A., Mak, D. B., Toussaint, S., & Straker, L. M. (2013). Disabling chronic low back pain as an iatrogenic disorder: a qualitative study in Aboriginal Australians. *BMJ open*, 3(4), e002654.
78. Linton, S. J., & Götestam, K. G. (1985). Controlling pain reports through operant conditioning: a laboratory demonstration. *Perceptual and Motor Skills*, 60(2), 427-437.
79. Loftus, E. F., & Zanni, G. (1975). Eyewitness testimony: The influence of the wording of a question. *Bulletin of the Psychonomic Society*, 5(1), 86-88.
80. Lowe, J. T., Li, X., Fasulo, S. M., Testa, E. J., & Jawa, A. (2017). Patients recall worse preoperative pain after shoulder arthroplasty than originally reported: a study of recall accuracy using the American Shoulder and Elbow Surgeons score. *Journal of shoulder and elbow surgery*, 26(3), 506-511.
81. Luft, J., & Ingham, H. (1961). The johari window. *Human relations training news*, 5(1), 6-7.
82. Main, C. J., Keefe, F. J., Jensen, M. P., Vlaeyen, J. W., & Vowles, K. E. (2015). Fordyce's behavioral methods for chronic pain and illness: republished with invited commentaries. *Lippincott Williams & Wilkins*.
83. Marple, R. L., Kroenke, K., Lucey, C. R., Wilder, J., & Lucas, C. A. (1997). Concerns and expectations in patients presenting with physical complaints: frequency, physician



- perceptions and actions, and 2-week outcome. *Archives of Internal Medicine*, 157(13), 1482-1488.
84. Marvel, M. K., Epstein, R. M., Flowers, K., & Beckman, H. B. (1999). Soliciting the patient's agenda: have we improved?. *Jama*, 281(3), 283-287.
 85. McAteer, A., Elliott, A. M., & Hannaford, P. C. (2011). Ascertaining the size of the symptom iceberg in a UK-wide community-based survey. *Br J Gen Pract*, 61(582), e1-e11.
 86. McKinley, R. K., & Middleton, J. F. (1999). What do patients want from doctors? Content analysis of written patient agendas for the consultation. *Br J Gen Pract*, 49(447), 796-800.
 87. Mead, N., & Bower, P. (2000). Patient-centredness: a conceptual framework and review of the empirical literature. *Social science & medicine*, 51(7), 1087-1110.
 88. Minhas, R. (2007). Does copying clinical or sharing correspondence to patients result in better care?. *International journal of clinical practice*, 61(8), 1390-1395.
 89. Mirabel-Sarron, C. (2011). Les thérapies comportementales et cognitives: bases théoriques et indications. In *Annales Médico-psychologiques, revue psychiatrique* (Vol. 169, No. 6, pp. 398-402). Elsevier Masson.
 90. Mjaaland, T. A., Finset, A., Jensen, B. F., & Gulbrandsen, P. (2011). Physicians' responses to patients' expressions of negative emotions in hospital consultations: a video-based observational study. *Patient Education and Counseling*, 84(3), 332-337.
 91. Nabi, H., Kivimäki, M., Batty, G. D., Shipley, M. J., Britton, A., Brunner, E. J., ... & Singh-Manoux, A. (2013). Increased risk of coronary heart disease among individuals reporting adverse impact of stress on their health: the Whitehall II prospective cohort study. *European heart journal*, 34(34), 2697-2705.
 92. Oostendorp, R. A., Elvers, H., Mikołajewska, E., Laekeman, M., van Trijffel, E., Samwel, H., & Duquet, W. (2015). Manual physical therapists' use of biopsychosocial history taking in the management of patients with back or neck pain in clinical practice. *The Scientific World Journal*, 2015.
 93. Ostelo, R. W., & Vlaeyen, J. W. (2008). Attitudes and beliefs of health care providers: extending the fear-avoidance model.
 94. Perrenoud, P. (1993). Curriculum: le formel, le réel, le caché. *La pédagogie: une encyclopédie pour aujourd'hui*, 61-76.
 95. Petrie, K. J., Frampton, T., Large, R. G., Moss-Morris, R., Johnson, M., & Meechan, G. (2005). What do patients expect from their first visit to a pain clinic?. *The Clinical journal of pain*, 21(4), 297-301.
 96. Potter, M., Gordon, S., & Hamer, P. (2003). The difficult patient in private practice physiotherapy: A qualitative study. *Australian Journal of Physiotherapy*, 49(1), 53-61.
 97. Prochaska, J. O., & DiClemente, C. C. (1982). Transtheoretical therapy: toward a more integrative model of change. *Psychotherapy: theory, research & practice*, 19(3), 276.
 98. Reme, S. E., Hagen, E. M., & Eriksen, H. R. (2009). Expectations, perceptions, and physiotherapy predict prolonged sick leave in subacute low back pain. *BMC musculoskeletal disorders*, 10(1), 139.
 99. Rhodes, K. V., Vieth, T., He, T., Miller, A., Howes, D. S., Bailey, O., ... & Levinson, W. (2004). Resuscitating the physician-patient relationship: emergency department

- communication in an academic medical center. *Annals of emergency medicine*, 44(3), 262-267.
100. Rosen, S., & Tesser, A. (1970). On reluctance to communicate undesirable information: The MUM effect. *Sociometry*, 253-263.
 101. Rossi, E. L. (1980). *Innovative Hypnotherapy by Milton H. Erickson. The collected papers of Milton H. Erickson on Hypnosis, Vol. IV.*
 102. Stacey, D., Légaré, F., Lewis, K., Barry, M. J., Bennett, C. L., Eden, K. B., ... & Trevena, L. (2017). Decision aids for people facing health treatment or screening decisions. *Cochrane database of systematic reviews*, (4).
 103. Steinmetz, D., & Tabenkin, H. (2001). The 'difficult patient' as perceived by family physicians. *Family practice*, 18(5), 495-500.
 104. Steenstra, I. A., Verbeek, J. H., Heymans, M. W., & Bongers, P. M. (2005). Prognostic factors for duration of sick leave in patients sick listed with acute low back pain: a systematic review of the literature. *Occupational and environmental medicine*, 62(12), 851-860.
 105. Taccolini Manzoni, A. C., Bastos de Oliveira, N. T., Nunes Cabral, C. M., & Aquaroni Ricci, N. (2018). The role of the therapeutic alliance on pain relief in musculoskeletal rehabilitation: A systematic review. *Physiotherapy theory and practice*, 34(12), 901-915.
 106. Thorsen, H., Witt, K., Hollnagel, H., & Malterud, K. (2001). The purpose of the general practice consultation from the patient's perspective—theoretical aspects. *Family practice*, 18(6), 638-643.
 107. Triffaux, J. M., Tisseron, S., & Nasello, J. A. (2019). Decline of empathy among medical students: Dehumanization or useful coping process?. *L'Encéphale*, 45(1), 3-8.
 108. Van der Meulen, N., Jansen, J., van Dulmen, S., Bensing, J., & van Weert, J. (2008). Interventions to improve recall of medical information in cancer patients: a systematic review of the literature. *Psycho-Oncology: Journal of the Psychological, Social and Behavioral Dimensions of Cancer*, 17(9), 857-868.
 109. Waitzkin, H. (1984). Doctor-patient communication: clinical implications of social scientific research. *Jama*, 252(17), 2441-2446.
 110. Weil, T. M., Hayes, S. C., & Capurro, P. (2011). Establishing a deictic relational repertoire in young children. *The Psychological Record*, 61(3), 371-390.
 111. White J, Levinson W and Roter D (1994) 'Oh, by the Way': the closing moments of the medical interview. *J Gen Int Med*. 9: 24–8.

Liste des ouvrages consultés

1. Adler, R. B., Rodman, G. R., & Du Pré, A. (2016). *Understanding human communication (Vol. 10)*. Oxford University Press.
2. Betbèze, J., Cottencin, O., & Doutrélugne, Y. (2019). *Thérapies brèves plurielles: principes et outils pratiques*. Elsevier Health Sciences.
3. Bioy, A., Bourgeois, F., & Nègre, I. (2003). *La communication entre soignant et soigné: repères et pratiques*. Editions Bréal.
4. Bioy, A., & Maquet, A. (2007). *Se former à la relation d'aide: concepts, méthodes, applications*. Dunod.
5. Branch R., Wilson R., B. Millette B. (2010). *Exercices de thérapies comportementales et cognitives pour les nuls, Éditions générales*. First. 305 pp.
6. Cabin, P., & Dortier, J. F. (2011). *La Communication. Etat des savoirs: Etat des savoirs*. Sciences humaines.
7. Cariou-Rognant, A. M., Chaperon, A. F., & Duchesne, N. (2014). *L'affirmation de soi par le jeu de rôle: en thérapie comportementale et cognitive*. Dunod.
8. Charon, R. (2008). *Narrative medicine: Honoring the stories of illness*. Oxford University Press.
9. Chataigné, C. (2014). *Psychologie des valeurs*. De Boeck Supérieur.
10. Coulehan, J. L., & Block, M. R. (2001). *The medical interview. Mastering Skills for Clinical Practice*. 4th ed. Philadelphia: FA Davis.
11. Cungi, C. (2018). *L'alliance thérapeutique: Nouvelle édition avec site Internet associé*. Retz.
12. Dahl, J., Luciano, C., & Wilson, K. (2005). *Acceptance and commitment therapy for chronic pain*. New Harbinger Publications.
13. De Jong, P., & Berg, I. K. (2002). *De l'entretien à la solution: [l'accent sur le pouvoir des clients]*. Satas.
14. Egan, G. (2013). *The skilled helper: A problem-management and opportunity-development approach to helping*. Cengage Learning.
15. Freud S. *The Dynamics of Transference*. London, United Kingdom: Hogarth Press; 1958.
16. Fulford, B. K., Peile, E., & Carroll, H. (2018). *La clinique fondée sur les valeurs: De la science aux personnes*. Doin-John Libbey Eurotext.
17. Gartland GJ (1984): *Teaching the therapeutic relationship*. *Physiotherapy Canada* 36: 24-28.
18. Gifford, L. (2013). *Topical issues in pain 5*. Author House.
19. Gordon, T., & Edwards, W. S. (1997). *Making the patient your partner: Communication skills for doctors and other caregivers*. ABC-CLIO.
20. Hargie, O. (Ed.). (1997). *The handbook of communication skills*. Psychology Press.
21. Helman, C. (2007). *Culture, health and illness*. CRC press.



22. Heritage, J., & Maynard, D. W. (Eds.). (2006). *Communication in medical care: Interaction between primary care physicians and patients* (Vol. 20). Cambridge University Press.
23. Jones, M. A., & Rivett, D. A. (2003). *Clinical Reasoning for Manual Therapists E-Book*. Elsevier Health Sciences.
24. Kahneman, D. (2011). *Thinking, fast and slow*. Macmillan.
25. Keller, F. (2017). *Découvrir la communication nonviolente*. InterEditions.
26. Knapp, M. L., Hall, J. A., & Horgan, T. G. (2013). *Nonverbal communication in human interaction*. Cengage Learning.
27. Korsch, B. M., & Harding, C. (1998). *The intelligent patient's guide to the doctor-patient relationship: Learning how to talk so your doctor will listen*. Oxford University Press.
28. Kurtz, S., Draper, J., & Silverman, J. (2017). *Teaching and learning communication skills in medicine*. CRC press.
29. Launer, J. (2017). *Narrative-based primary care: a practical guide*. CRC Press.
30. Martz, D., Dagognet, F., & Billé, M. (2010). *La tyrannie du " bien vieillir"*. Lectures, Les livres.
31. Miller, W. R., & Rollnick, S. (2012). *Motivational interviewing: Helping people change*. Guilford press.
32. Monestès, J. L., Villatte, M., & Jaillardon, C. (2011). *La thérapie d'acceptation et d'engagement: ACT*. Elsevier Masson.
33. Muran, J. C., & Safran, J. D. (2017). *Therapeutic alliance ruptures*. Sage Encyclopedia of Abnormal & Clinical Psychology. New York: Sage Publications.
34. Neighbour, R. (2004). *The inner consultation: how to develop an effective and intuitive consulting style*. Radcliffe Publishing.
35. Neighbour, R. (2018). *The inner physician*. CRC Press.
36. Norcross, J. C., & Lambert, M. J. (2011). *Psychotherapy relationships that work II* (Vol. 48, No. 1, p. 4). Educational Publishing Foundation.
37. O'Hanlon, W. H., & Weiner-Davis, M. (1995). *L'orientation vers les solutions: une approche nouvelle en psychothérapie*. Satas.
38. O'Hanlon, W., & Beadle, S. (1997). *Guide du thérapeute au pays du possible*.
39. Pendleton, D., Schofield, T., Tate, P., Havelock, P., & Scholfield, T. (2003). *The new consultation: developing doctor-patient communication*.
40. Roberts, L. and Langridge, N. (2018) *Principles of communication and its application to clinical reasoning*. In, Petty, N.J. and Barnard, K.(eds.) *Principles of musculoskeletal treatment and management: a handbook for therapists: a handbook for therapists. (Physiotherapy Essentials) 3rd ed*. Edinburgh. Elsevier, pp. 209-233.
41. Rogers, C. R. (1986). *Une approche de la thérapie centrée sur le client et/ou la personne*. CR Rogers (2001/2013). *L'approche centrée sur la personne*. Anthologie de textes présentés par Howard Kirschenbaum et Valérie Land Henderson. Le Touvet. Ambre, 166-184.
42. Roter, D., & Hall, J. A. (2006). *Doctors talking with patients/patients talking with doctors: improving communication in medical visits*. Greenwood Publishing Group.
43. Rusinek S. (2017). *Traiter la dépression et les troubles de l'humeur: 10 cas pratiques en TCC*. Dunod.



44. Salem, G., & Bonvin, É. (2012). *Soigner par l'hypnose*. Elsevier Health Sciences.
45. Salinsky, J., & Sackin, P. (2000). *What are You Feeling Doctor?: Identifying and Avoiding Defensive Patterns in the Consultation*. Radcliffe Publishing.
46. Shazer S.D. (1988). *Clues: investigating solutions in brief therapy*. New York: W.W. Norton & Company.
47. Shazer, S. D. (2009). *Les mots étaient à l'origine magiques*. Le Germe.
48. Silverman, J., Kurtz, S., & Draper, J. (2016). *Skills for communicating with patients*. CRC Press.
49. Stewart, M., Brown, J. B., Weston, W., McWhinney, I. R., McWilliam, C. L., & Freeman, T. (2013). *Patient-centered medicine: transforming the clinical method*. CRC Press.
50. Strosahl, K. D., Robinson, P. J., & Gustavsson, T. (2012). *Brief interventions for radical change: Principles and practice of focused acceptance and commitment therapy*. New Harbinger Publications.
51. Tuckett, D., Boulton, M., Olson, C., & Williams, A. *Meetings between Experts: An Approach to Sharing Ideas in Medical Consultations*. 1985. London: Tavistock Publications.
52. Villatte, M., Villatte, J. L., & Hayes, S. C. (2015). *Mastering the clinical conversation: Language as intervention*. Guilford Publications.
53. Watzlawick, P., & Nardone, G. (2000). *Stratégie de la thérapie brève*. Seuil.
54. Wegner, D. M. (1989). *White bears and other unwanted thoughts: Suppression, obsession, and the psychology of mental control*. Penguin Press.
55. White, M. (2009). *Cartes des pratiques narratives*. Satas.